

SAFETY DATA SHEET

According to OSHA Hazard Communication Standard 29 CFR 1910.1200; GHS 4th Revision

SECTION 1 IDENTIFICATION

Product Name MICROCAT®-XRT Hydrocarbon Degradation Bioformula

Identified uses Used for cleaning and deodorizing ship and boat bilges and related sump collection systems

Company Monera Technologies Corporation

Monera Technologies Corporation 2201 Hangar Place, Suite 200

Allentown, PA 18109 Phone: (800) 627-3069 (484) 245-5232 www.moneratec.com

SECTION 2 HAZARD IDENTIFICATION

Hazard ClassificationCategoryH-statementSkin Irritant2H315Eye irritant2AH319Specific Target Organ Toxicity -2H373

Repeated

Label Elements

Labeling (REGULATION (EC) No 1272/2008)

Hazard pictograms

(!)

Signal words Warning

Hazard statements Causes skin irritation (H315)

Causes serious eye irritation (H319)

May cause damage to organs through prolonged or repeated exposure (H373)

Precautionary statements P260 – Do not breathe dust.

P264 – Wash thoroughly after handling;

P280 – Wear protective gloves, eye, and face protection; P302 + P352 – IF ON SKIN: Wash with plenty of soap and water;

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do so. Continue rinsing; P332 + P313 – If skin irritation occurs: get medical attention/advice; P337 + P313 – If eye irritation persists: Get medical attention/advice; P362 + P364 – Take off contaminated clothing and wash before reuse

P314 – Get medical advice if you feel unwell.

P501 – Dispose of contents/container in accordance with local, state, and Federal regulations.

Persons who have a compromised immune system or a history of severe allergic

 $reactions/response \ should \ avoid \ contact \ with \ open \ wounds \ and/or \ breathing \ dust \ or \ mist \ from$

 $product\ handling\ or\ manufacturing\ process.$

Crystalline silica is a known cause of silicosis (a non-cancerous lung disease). Prolonged and/or

repeated inhalation must be avoided. Will become slippery when wet.

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Identity Common name

Other hazards

Further information

Synonyms Nonpathogenic, naturally occurring microbes absorbed on wheat bran and corn gluten, with inorganic

buffers and nutrients

Hazardous Components

Chemical Name (Concentration) CAS-No

MSDS Created: 08/00 Revision: 04/20/2020 XRT Page **1** of **5**

Dolomite (45%) 16389-88-1 Monocalcium phosphate (<10%) 65996-95-4 Urea (<5%) 57-13-6 Ferrous sulfate (1%) 7782-96-3 Quartz (0 - 6%) 14808-60-7 Cristobalite (0 - 1%) 14464-46-1 Sodium carbonate (<1%) 497-19-8 14808-60-7 Crystalline silica (<1%)

Non-Hazardous Components

 Name
 CAS-No

 Wheat bran
 116469-86-4

 Corn gluten
 66071-96-3

 Diatomaceous earth
 91053-39-3

SECTION 4 FIRST-AID MEASURES

Eye May cause eye irritation or injury. In case of contact with eyes, flush eyes with water for at least 15 minutes and

seek medical attention.

Skin May cause skin irritation. It is recommended that prolonged direct contact with skin be avoided. In case of contact

with skin, wash skin with soap and water. Remove contaminated clothing and wash

Inhalation May cause irritation of respiratory tract. Avoid product handling which results in dust generation. If inhaled,

remove from contaminated area to fresh air. Report situation. Seek medical attention if allergic response or

difficulty in breathing is exhibited

Ingestion Ingestion of material may cause gastric disturbance, irritation. If swallowed, rinse mouth and throat with tap water.

Consult physician if symptoms persist.

Most important symptoms/effects, acute and delayed

Further information

SECTION 5 FIRE-FIGHTING MEASURES

Suitable extinguishing media Specific hazards arising from the chemical Special protective actions for fire-fighters Dry chemical, CO₂, chemical foam or water fog.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment,

and emergency procedures

Environmental precautions

Methods and materials for containment and

cleaning up

Provide sufficient ventilation.

Advice for emergency responders: protective equipment see section ${\bf 8}$

Spilled product should be removed immediately to avoid formation of dust. Store in suitable container. Wash down with water. Dispose to landfill. Provide sufficient

ventilation.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling Avoid formation of dust. Provide adequate ventilation of the room when handling. Provide

eyewash capability.

Conditions for safe storage, including any

incompatibilities

No special requirements.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

| Name | CAS-No | TLV (ACGIH) | PEL (OSHA) |
|--------------------|------------|---------------------------|-----------------------|
| Dolomite | 16389-88-1 | 10 mg/m ³ | 5 mg/m ³ |
| Crystalline silica | 14808-60-7 | 0.1 mg/m ³ | 0.1 mg/m ³ |
| Quartz | 14808-60-7 | 0.1 mg/m ³ | |
| Cristobalite | 14464-46-1 | 0.05 mg/m ³ | |
| Sodium carbonate | 497-19-8 | | |
| Urea | 57-13-6 | 10 mg/m ³ {3}* | 15 mg/m³ {5}* |

MSDS Created: 08/00 Revision: 04/20/2020 XRT Page **2** of **5**

| Monocalcium phosphate | 65996-95-4 | 10 mg/m ³ | 5 mg/m ³ |
|-----------------------|-------------|--------------------------|---------------------|
| Ferrous sulfate | 7782-63-0 | ≤1 | |
| Wheat bran | 116469-86-4 | 10 mg/m³ (nuisance dust) | |
| Corn gluten | 66071-96-3 | 10 mg/m³ (nuisance dust) | |
| Diatomaceous earth | 91053-39-3 | 10 mg/m³ (nuisance dust) | |

^{*} Specific limits not set for these chemicals. Limits are shown for Particles Not Otherwise Regulated (PNOR) or Particles Not Otherwise Classified (PNOC). First number is for total dust second number { } is for respirable dust

This product may contain low concentrations of crystalline silica in the forms of quartz, cristobalite, and/or tridymite. The PEL for crystalline silica **respirable** dust is 10 mg/ m^3 / (%SiO₂ + 2) if present as quartz. The comparable PEL for total dust is 30 mg/ m^3 / (%SiO₂ + 2). Use half the calculated value if cristobalite or tridymite is detected.

Personal Safety Equipment

Eye Protection Safety goggles

Skin Protection Wear long-sleeve shirt, trousers, safety shoes, gloves

Industrial Hygiene Maintain good housekeeping. Avoid dusty conditions. Wash hands and exposed skin after contact.

Avoid contact with food or food preparation surfaces. Remove and wash contaminated clothing

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

| BASIC PHYSICAL AND CHEMICAL PROPERTIES | |
|---|-----------------------------------|
| Appearance | Tan granular powder |
| Odour | Mild odor |
| Odour threshold | Information not available |
| pH | > 7 (1% solution) |
| Melting point /Freezing Point | Information not available |
| Initial Boiling point and boiling point range | Does Not Apply |
| Flash Point | Information not available |
| Evaporation rate | Does Not Apply |
| Flammability (solid; gas) | Information not available |
| Upper/lower flammability or explosive limits | Does Not Apply |
| Vapour pressure | Does Not Apply |
| Vapour density | Does Not Apply |
| Relative density | Information not available |
| Solubility (ies) | ~ 10% of product is water soluble |
| Partition coefficient: n-octanol/water | Does Not Apply |
| Auto-ignition temperature | Does Not Apply |
| Decomposition temperature | Information not available |
| Viscosity | Does Not Apply |
| Other Physical/Chemical Properties | Information not available |

SECTION 10 STABILITY AND REACTIVITY

Reactivity Stable under normal storage and usage conditions.

Possibility of hazardous reactions Information not available

Conditions to avoid Freezing or temperature greater than 100°F (40°C)

Incompatible materials Strong acids, bases or oxidizers Hazardous decomposition products Information not available

SECTION 11 TOXOLOGICAL INFORMATION

| Acute toxicity | Information not available |
|-----------------------------------|---|
| Skin Corrosion/Irritation | May cause skin irritation. |
| Serious Eye Damage/Irritation | May cause eye irritation or redness. |
| Respiratory or Skin Sensitization | May cause irritation of respiratory tract. |
| Ingestion | May cause gastric disturbance, irritation. |
| Germ Cell Mutagenicity | Information not available |
| Carcinogenicity | Crystalline silica probably carcinogenic |
| | NTP: no |
| | IARC Monographs: no |
| | OSHA Regulated: no |
| | Product may contain <1% crystalline silica (CS). IARC has classified CS as probably carcinogenic for humans |
| | (2A). NTP lists CS as a substance which may reasonably be anticipated to be a carcinogen. CS is a known |
| | cause of silicosis (a non-cancerous lung disease). |

MSDS Created: 08/00 Revision: 04/20/2020 XRT Page **3** of **5**

This product contains crystalline silica which is considered a health hazard by inhalation. IARC reviewed the literature (Oct., 1996) for polymorphs of crystalline silica and determined that: There is sufficient evidence in humans for the carcinogenicity of inhaled crystalline silica in the forms of quartz and cristobalite from occupational sources. There is inadequate evidence in humans for the carcinogenicity of amorphous silica. There is sufficient evidence in experimental animals for the carcinogenicity of quartz and cristobalite. There is limited evidence in experimental animals for the carcinogenicity of tridymite. There is inadequate evidence in experimental animals for the carcinogenicity of diatomaceous earth. There is inadequate evidence in experimental animals for the carcinogenicity of synthetic amorphous silica. Overall evaluation: Inhaled crystalline silica in the form of quartz and cristobalite from occupational sources is carcinogenic to humans (Group 1). Reproductive Toxicity Information not available Specific Target Organ Toxicity -Information not available Single Exposure Specific Organ Toxicity -Information not available Repeated Exposure **Aspiration Hazard** Information not available General Remarks Enzymes in this product are non-toxic (LD 50 > 2 g/kg in rats). Inhalation of dust may cause respiratory allergy in susceptible individuals.

SECTION 12 ECOLOGICAL INFORMATION

| Persistence and degradability Information not available Bioaccumulative potential Information not available Mobility in Soil Information not available | |
|--|--|
| · | |
| Mobility in Soil | |
| Wobility III 3011 IIII atlanta | |
| Other adverse effects Information not available | |

SECTION 13 DISPOSAL CONSIDERATIONS

Methods Dispose of in accordance with current Federal, State, and Local regulations.

Containers n/a

SECTION 14 TRANSPORTATION INFORMATION

| UN Number | Mixture not classified as Hazardous according to Regulation (EC) 1272/2008. |
|--|---|
| UN Proper Shipping Name | |
| Transport Hazard Class | |
| Packing Group (if applicable) | |
| Environmental Hazards | |
| Special Precautions for User | |
| Transport in Bulk According to Annex II of | |
| MARPOL 73/78 and the IBC Code | |
| DOT Proper Shipping Name | Chemicals not otherwise indexed (NOI) non-hazardous. |

SECTION 15 REGULATORY INFORMATION

WHMIS: Toxic Class D2B (eye irritant)

EU Directive 2000_54 regarding risks from biological agents: micro-organisms in Class 1 may be used without restriction. WGK (Water Hazards Class): 0 non-hazardous to water.

SECTION 16 OTHER INFORMATION

Key: N/A, n/a – Not available

Mixture classified as not dangerous according to Regulation (EC) 1272/2008.

Observe employment restrictions for people.

Components not precisely identified are proprietary or non-hazardous. All chemical ingredients appear on the EPA TSCA inventory.

The microbes in this product are Class 1 microbes, defined by the US Centers for Disease Control as not likely to cause disease in healthy humans and animals. However, contact with open wounds should be avoided; persons who have a compromised immune system or a history of severe allergic response should avoid contact and/or breathing dust or mist from product handling or manufacturing processes.

MSDS Created: 08/00 Revision: 04/20/2020 XRT Page **4** of **5**

The information contained in this Safety Data Sheet, as of the issue date, is believed to be true and correct. However, the accuracy or completeness of this information and any recommendations or suggestions are made without warranty or guarantee. Since the conditions of use are beyond the control of our company, it is the responsibility of the user to determine the conditions of safe use of this product. The information in this sheet does not represent analytical specifications; for this information contact Monera Technologies Corporation, Technical Department.

MSDS Created: 08/00 Revision: 04/20/2020 XRT Page **5** of **5**